

MULTI-CUT OR PASTURE



SORGHUM-SUDAN HYBRID

Best use is for pasture or hay. Combines the leafiness of forage sorghums with the re-growth of sudangrass. BMR types are more palatable for grazing with less fiber & less feeding waste. Harvest before heading is critical to feed quality, tonnage, & re-growth. Use Sorghum-Sudan for freeze down grazing only after the plant is completely dead.

Planting Date: May 20 to August 1

Kind	Seeding Rate Drilled/Rows	Male Sterile	Hay/Bundle Feed	Freeze Down Feed	Summer Pasture	Silage	Cuttings	Days Bloom/ Maturity**
Brown Mid-Rib								
1 st Choice BMR	25-40/12-16	No	Yes	Yes	Yes	Yes	1-3	70/100
Honey Graze BMR	25-40/12-16	No	Yes	Yes	Yes	No	1-3	50/80
Nutri + BMR	25-40/12-16	No	Yes	Yes	Yes	No	1-3	50/80
Grazex BMR	25-40/12-16	No	Yes	Yes	Yes	No	1-3	50/80
Photo Period Sensitive								
Energizer	20-40/10-15	No	Yes	Yes	Yes	Yes	1-3	up to 120
Energizer BMR	20-40/10-15	No	Yes	Yes	Yes	Yes	1-3	up to 120
Conventional								
Hay N Graze	18-35/10-15	No	Yes	Yes	Yes	No	1-3	50/80
Honey Graze LS	18-35/10-15	No	Yes	Yes	Yes	No	1-3	70/75
Honey Graze	18-35/10-15	No	Yes	Yes	Yes	No	1-3	50/80
Sweet Sunny Sue	18-35/10-15	No	Yes	Yes	Yes	No	1-3	50/80
Grazex II	18-35/10-15	No	Yes	Yes	Yes	No	1-3	50/80

SUDANGRASS

Safest summer pasture Lower prussic acid risk than Sorghum-Sudan hybrid.

Planting Date: May 20 to August 1

Kind	Seeding Rate Drilled/Rows	Male Sterile	Hay/Bundle Feed	Freeze Down Feed	Summer Pasture	Silage	Cuttings	Days Bloom/ Maturity**
Piper	15-35/—	No	Yes	No	Yes	No	1-3	50/85
Hybrid Sudan	20-35/—	No	Yes	No	Yes	No	1-3	50/85

HYBRID PEARL MILLET

Best used for hay or pasture. Low prussic acid. The only summer forage safe for pasturing horses. Good pasture, rapid regrowth. Not as drought tolerant as types with sorghum parents.

Planting Date: June 1 to August 1

Kind	Seeding Rate Drilled/Rows	Male Sterile	Hay/Bundle Feed	Freeze Down Feed	Summer Pasture	Silage	Cuttings	Days Bloom/ Maturity**
102M	15-20 / 6-12	No	Yes	No	Yes	No	2-3	45/80
Elite	15-20 / 6-12	No	Yes	No	Yes	No	2-3	45/80
3 Mil X II	15-20/6-12	No	Yes	No	Yes	No	2-3	45/80

**Approximate

All Summer Forages should be checked for nitrates before feeding in any form, particularly when stress occurs during the growing season.